## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

## Listing of Claims:

- **1-41**. (Canceled)
- 42. (New) A method for diagnosing inflammatory bowel disease (IBD) in a subject, said method comprising:
- (a) determining an expression level of at least one gene product in a sample from said subject, wherein said gene product is an mRNA of a gene selected from the group consisting of macrophage inflammatory protein- $2\beta$  (GRO3), neutrophil lipocalin (HNL), elastase specific inhibitor (elafin), and type VI collagen  $\alpha$ 3 chain (COL6A3); and
- (b) comparing the expression level of said gene product in said subject to an expression level of said gene product in a healthy subject,

wherein a difference in the expression level of said gene product indicates that said subject has IBD or is at risk of developing IBD.

- 43. (New) The method of claim 42, wherein said IBD is ulcerative colitis (UC).
- 44. (New) The method of claim 42, wherein said IBD is Crohn's disease (CD).
- 45. (New) The method of claim 42, comprising distinguishing between UC and CD.
- 46. (New) The method of claim 42, wherein the expression level of said gene product differs by at least a factor of two.

- 47. (New) The method of claim 42, wherein said sample is a needle biopsy core, a surgical resection sample, a bowel sample, lymph node tissue, or serum.
- 48. (New) The method of claim 42, wherein the expression level of said gene product is determined using Northern blot analysis, reverse transcription-polymerase chain reaction, in situ hybridization, or an array.
- 49. (New) The method of claim 48, wherein said array comprises nucleic acid probes that specifically hybridize to said gene product and a substrate to which said nucleic acid probes are bound.
- 50. (New) The method of claim 49, wherein said substrate is selected from the group consisting of paper, membranes, filters, chips, pins, and glass.
- 51. (New) The method of claim 49, wherein said nucleic acid probes are bound to said substrate by covalent bonds or hydrophobic interactions.
- 52. (New) The method of claim 49, wherein said nucleic acid probes are spotted onto said substrate in a two-dimensional matrix or array.